

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	25	((@ad<"20031124") and (257/777,686.ccls. or 438/109.ccls.) and ((257/329,516,528,904,924.ccls. or 438/171,190,210,238,329,381.ccls.))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 22:26
L2	360	((@ad<"20031124") and (257/777,686.ccls. or 438/109.ccls.) and (inductor or inductance))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 22:36
L3	75	((@ad<"20031124") and (438/109.ccls.) and (inductor or inductance))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 23:22
L4	0	L3 not L2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 23:22
L5	285	L2 not L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/17 23:22
L6	1	("7074647").PN.	USPAT; USOCR	OR	OFF	2008/08/17 23:26
L7	9	("5012386" "5200362" "5311057" "6133637" "6143981" "6175157" "6281568" "6507120" "6555917").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/17 23:26
L8	0	("7074647").URPN.	USPAT	OR	OFF	2008/08/17 23:27
S1	0	((@ad<"20031124") and 257/727.114.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/19 12:42
S2	76	((@ad<"20031124") and 257/E27.114.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/19 12:36

S3	58	((@ad<"20031124") and 257/E27.113.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/19 12:36
S4	134	S3 or S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/19 12:36
S5	88	S4 and thin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/19 12:37
S6	221	((@ad<"20031124") and (257/686,778.ccls. or 438/106,108-110.ccls.) and (thin same (passive or capacitor or inductor or resistor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/19 21:39
S7	69	S6 and (standoff or spacer or interposer or pillar or cylinder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/19 21:39
S8	1	("5854534").PN.	USPAT; USOCR	OR	OFF	2007/05/19 20:55
S9	219	((@ad<"20031124") and (257/904,924.ccls. or 438/106,108-110.ccls.) and (thin same (passive or capacitor or inductor or resistor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/19 21:50
S10	90	((@ad<"20031124") and 257/904,924.ccls. and (thin same (passive or capacitor or inductor or resistor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/19 21:48
S11	90	S10 and (thin same (passive or capacitor or inductor or resistor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/19 21:39
S12	13	S10 and (standoff or spacer or interposer or pillar or cylinder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/19 21:46

S13	115814	(chp or die)and (standoff or spacer or interposer or pillar or cylinder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/19 21:47
S14	115814	(chp or die) and (standoff or spacer or interposer or pillar or cylinder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/19 21:48
S15	166687	(chip or die) and (standoff or spacer or interposer or pillar or cylinder)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/19 21:48
S16	2532	S15 and ((passive or capacitor or inductor or resistor) with (standoff or spacer or interposer or pillar or cylinder))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/19 21:49
S17	857	S16 and (@ad<"20031124") and (stack\$2 or mcm or multi\$3chip)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/19 21:52

8/17/2008 11:29:55 PM

C:\Documents and Settings\jtmitchell2\My Documents\EAST\Workspaces\10720812.wsp